

# Port Melbourne Containers Pty. Ltd.

A.B.N. 62 118 191 183

37 Prohasky Street  
Port Melbourne Vic 3207  
Postal: PO BOX 5023  
Garden City 3207



P: +61 3 9646 2954

F: +61 3 9646 9194

accounts@portmc.com.au  
website: www.portmc.com.au

## C.S.C. RE-EXAMINATION CERTIFICATE

Port Melbourne Containers Pty. Ltd. do hereby declare that a visual inspection has been carried out on the equipment mentioned here below and that said equipment conforms, within the limits of the visual inspection, to the standards of the Convention for Safe Containers.

Furthermore it is declared that this same equipment appears sound and suitable for the carriage of cargo, spread even over the floor area, up to the Maximum Gross Weight shown hereunder. The owner of the container is responsible for maintaining this container in a safe condition.

CONTAINER NBR: MSCU 3219909

I.S.O TYPE: 22G1

CLIENT NAME & ADDRESS: MGP EQUIP

GENERAL STRUCTURAL CONDITION	DATE	<u>02-01-2018</u>
Left Hand Side ✓		
Front End ✓		
Right Hand Side ✓		
Rear End/Doors ✓		
Interior ✓		
Roof ✓		
Underside ✓		
Frame-Rails & Posts ✓		
Custom Certification Plate ✓	T.C.T. Plate ✓	CSC Approval No <u>DHH 3299/6L7051</u>
Manuf & Date of Manuf:	<u>03/2004</u>	Manuf Type: <u>NOC2-20-02</u>
Maximum Gross Weight:	<u>30,480</u> kgs	<u>67,200</u> lbs
Allowable Stacking Weight:	<u>226,670</u> kgs	<u>499,720</u> lbs
Racking Test Load Value:	<u>15,240</u> kgs	<u>33,600</u> lbs
Tare Weight:	<u>2,280</u> kgs	<u>5,030</u> lbs
Cubic Capacity:	<u>33.2</u> cuM	<u>1,170</u> Cu.FT

C.S.C.  
RE-  
EXAMINATION  
IS DUE  
BEFORE  
JAN 2019

Signed: J. Costa Name: JAMES COSTA

This C.S.C. Re-Examination Certificate is issued without prejudice or liability and the responsibility of Port Melbourne Containers Pty Ltd and/or its agents and/or servants is limited to the exercise of reasonable care.